

ALIGNMENT of WESTERN AUSTRALIAN *DIURIS* AND *PTEROSTYLIS* NAMES (updated February 2018)

Andrew Brown

The following table contains a comparative list of Western Australian *Diuris* and *Pterostylis* names used in *Orchids of Western Australia* 2008, *Orchids of South – West Australia 3RD Edition* 2011 and *Field Guide to the Orchids of Western Australia* 2013, along with nomenclatural changes that have occurred since then. For earlier books you can refer to *A Compilation of Western Australian Orchid Names* by Noel Clarke.

The object of this exercise is to align the phrase names in these three publications with names published in recent taxonomic papers. Please note that most, but not all, currently recognized (described and undescribed) Western Australian *Diuris* and *Pterostylis* are included. There are other taxa that may be considered worthy of recognition but have not been included until further research is conducted to confirm their distinctiveness.

Phrase names are added and removed for taxa as new information comes to hand and should not be thought of as the final view of taxonomists. Rather, these should be thought of as current thinking that may change following additional taxonomic study. Note: a number of phrase names used in *Orchids of Western Australia* and *Orchids of South – West Australia* were changed in *Field Guide to the Orchids of Western Australia* to align with the official Western Australian Herbarium phrase names.

Given that phrase names are a work in progress, some may think that we should not be promoting their use and they should not be included in popular books. However, I think it is worthwhile putting them out to the wider audience so that their distinctiveness can be debated. Having a large group of knowledgeable people looking for (and at) these taxa provides us with a great deal of information based on firsthand experience in the field, that we may not otherwise have obtained. If and when the taxon is formally described it will be done on a more informed basis.

As I am sure you are aware, the naming plants is an evolving process and there will be further changes as new information comes to light.

Acknowledgements

I would like to take this opportunity to thank Noel Clarke who originally came up with the idea that has led to the development of this comparative list.

Orchids of Western Australia 2008	Orchids of South-West Australia 2011	Field Guide to the Orchids of Western Australia 2013	Notes
Diuris (donkey orchid complex)			
<i>D. amplissima</i>	<i>D. amplissima</i>	<i>D. amplissima</i>	
<i>D. brumalis</i>	<i>D. brumalis</i>	<i>D. brumalis</i>	
<i>D. conspicillata</i>	<i>D. conspicillata</i>	<i>D. conspicillata</i>	
<i>D. corymbosa</i>	<i>D. corymbosa</i>	<i>D. corymbosa</i>	
<i>D. longifolia</i>	<i>D. longifolia</i>	<i>D. longifolia</i>	
<i>D. magnifica</i>	<i>D. magnifica</i>	<i>D. magnifica</i>	
<i>D. porrifolia</i>	<i>D. porrifolia</i>	<i>D. sp.</i> 'western wheatbelt' = <i>D. brachyscapa</i>	The orchid illustrated as <i>D. porrifolia</i> in Brown et al 2008 and Hoffman and Brown 2011 is now considered distinct from that species and was formally named <i>D. brachyscapa</i> in 2016. For true <i>D. porrifolia</i> see notes for <i>D. sp.</i> 'slender'
<i>D. pulchella</i>	<i>D. pulchella</i>	<i>D. pulchella</i>	
<i>D. recurva</i>	<i>Diuris recurva</i>	<i>D. recurva</i>	
<i>D. sp.</i> 'Arrowsmith'	<i>D. sp.</i> 'Arrowsmith'	<i>D. sp.</i> 'Eneabba' = <i>D. tinkeri</i>	Formally named <i>D. tinkeri</i> in 2013
<i>D. sp.</i> 'Darling Range'	<i>D. sp.</i> 'Darling Range'	<i>D. sp.</i> 'Darling Scarp' = <i>D. ostrina</i>	Formally named <i>D. ostrina</i> in 2016
<i>D. sp.</i> 'Dunsborough'	<i>D. sp.</i> 'Dunsborough'	<i>D. sp.</i> 'Dunsborough' = <i>D. jonesii</i>	Formally named <i>D. jonesii</i> in 2013
<i>D. sp.</i> 'Esperance coast'	<i>D. sp.</i> 'Esperance Coast'	<i>D. pulchella</i>	The species previously known as <i>D. sp.</i> 'Esperance Coast' is now considered a form of <i>D. pulchella</i>
<i>D. sp.</i> 'northern granite'	<i>D. sp.</i> 'northern granite'	<i>D. sp.</i> 'eastern wheatbelt' = <i>D. hazeliae</i>	Formally named <i>D. hazeliae</i> in 2013
<i>D. sp.</i> 'sandplain'	<i>D. sp.</i> 'sandplain. Photo = <i>Diuris jonesii</i>	<i>D. sp.</i> 'Yalgorup' = <i>D. porphyrochila</i>	In the formal description of <i>Diuris jonesii</i> (AOR December 2013) the authors regarded the species listed as <i>D. sp.</i> 'sandplain' in Hoffman and Brown 2011 as synonymous with <i>D. jonesii</i> . However, this is likely due to the incorrect photo being used in the 2011 edition. Previous editions of the book have the correct photo of <i>D. sp.</i> 'sandplain' which differs from <i>D. jonesii</i> in having smaller flowers. <i>Diuris sp.</i> 'sandplain' in earlier editions of Hoffman and Brown and in Brown et al 2008 is now thought to be synonymous with <i>D. sp.</i> 'Yalgorup'. Formally named <i>D. porphyrochila</i> in 2016
<i>D. sp.</i> 'Scaddan'			Not included in later works but thought distinct. Possibly also seen at Pallarup Rocks.
<i>D. sp.</i> 'slender'	<i>D. sp.</i> 'slender'	<i>D. porrifolia</i>	The species previously known as <i>D. sp.</i> 'slender' is now considered to be true <i>D. porrifolia</i>
<i>D. sp.</i> 'south coast'	<i>D. sp.</i> 'south coast'	<i>D. sp.</i> 'south coast'	A very early May-July flowering species
<i>D. sp.</i> 'Three Springs'	<i>D. sp.</i> 'Three Springs'	<i>D. sp.</i> 'mid north' = <i>D. pallescens</i>	Formally named <i>D. pallescens</i> in 2016. Note: the description in Hoffman and Brown 2011 matches <i>D. pallescens</i> but the picture is likely to represent <i>D. refracta</i>
<i>D. sp.</i> Tondirrup'			Not included in later works but thought distinct
<i>D. sp.</i> 'Watheroo'			Possibly a form of <i>Diuris refracta</i>
<i>D. sp.</i> 'Williams'			Not included in later works and may be small form of <i>D. porrifolia</i>
		<i>D. perialla</i>	Split from <i>D. brumalis</i>
		<i>D. sp.</i> 'Green Range' = <i>D. littoralis</i>	Formally named <i>D. littoralis</i> in 2016

Orchids of Western Australia 2008	Orchids of South-West Australia 2011	Field Guide to the Orchids of Western Australia 2013	Notes
Diuris (donkey orchid complex cont.)			
		<i>D. sp.</i> 'Kemerton' = <i>D. cruenta</i>	Formally named <i>D. cruenta</i> in 2016
		<i>D. sp.</i> 'Murchison River' = <i>D. carecta</i>	Formally named <i>D. carecta</i> in 2016
		<i>D. sp.</i> 'north western wheatbelt' = <i>D. refracta</i>	Formally named <i>D. refracta</i> in 2013
		<i>D. sp.</i> 'Perth swamps' = <i>D. brevis</i>	Formally named <i>D. brevis</i> in 2016
		<i>D. sp.</i> 'sandplain' = <i>D. tinctoria</i>	This is a different species to that with the same phrase name in Hoffman and Brown 2011 and Brown et al 2008 (see notes above). Formally named <i>D. tinctoria</i> in 2016
		<i>D. sp.</i> 'Wyalkatchem' = <i>D. suffusa</i>	Formally named <i>D. suffusa</i> in 2016
		<i>D. sp.</i> 'Zuytdorp Cliffs' = <i>D. oraria</i>	Formally named <i>D. oraria</i> in 2016
Diuris (bee orchid complex)			
<i>D. carinata</i>	<i>D. carinata</i>	<i>D. carinata</i>	
<i>D. concinna</i>	<i>D. concinna</i>	<i>D. concinna</i>	
<i>D. drummondii</i>	<i>D. drummondii</i>	<i>D. drummondii</i>	See notes for <i>D. emarginata</i> . If merged the earlier name <i>emarginata</i> would take precedence
<i>D. eburnea</i>	<i>D. eburnea</i>	<i>D. eburnea</i>	
<i>D. emarginata</i>	<i>D. emarginata</i>	<i>D. emarginata</i>	Apart from a shorter inflorescence and slightly smaller flowers there is little difference between <i>D. emarginata</i> and <i>D. drummondii</i>
<i>D. filifolia</i>	<i>D. filifolia</i>	<i>D. filifolia</i>	Although thought to be distinct this species has not been seen for many years
<i>D. heberlei</i>	<i>D. heberlei</i>	<i>D. heberlei</i>	
<i>D. immaculata</i>	<i>D. immaculata</i>	<i>D. immaculata</i>	
<i>D. laxiflora</i>	<i>D. laxiflora</i>	<i>D. decrementa</i>	The species was considered to be a form of <i>D. laxiflora</i> in Hoffman & Brown 2011 and Brown et al 2008 but is now considered distinct. Formally named <i>D. decrementa</i> in 2013
<i>D. micrantha</i>	<i>D. micrantha</i>	<i>D. micrantha</i>	
<i>D. pauciflora</i>	<i>D. pauciflora</i>	<i>D. pauciflora</i>	
<i>D. picta</i>	<i>D. picta</i>	<i>D. picta</i>	
<i>D. setacea</i>	<i>D. setacea</i>	<i>D. setacea</i>	
<i>D. sp.</i> 'Augusta'	<i>D. sp.</i> 'Augusta'	<i>D. sp.</i> 'Augusta'	
<i>D. sp.</i> 'Brookton Highway'	<i>D. sp.</i> 'Brookton Highway'	<i>D. laxiflora</i>	Now known to be the true <i>D. laxiflora</i>
<i>D. sp.</i> 'Canning Vale'	<i>D. sp.</i> 'Canning Vale'	<i>D. laxiflora</i>	Now considered a form of <i>D. laxiflora</i>
<i>D. sp.</i> 'granite'	<i>D. sp.</i> 'granite'	<i>D. laxiflora</i>	Now considered a form of <i>D. laxiflora</i>
<i>D. sp.</i> 'Muir Highway'	<i>D. sp.</i> 'Muir Highway'	<i>D. insignis</i>	Formally named <i>D. insignis</i> in 2013
<i>D. sp.</i> 'Northampton'	<i>D. sp.</i> 'Northampton'	<i>D. segregata</i>	Formally named <i>D. segregata</i> in 2013
<i>D. sp.</i> 'northern'	<i>D. sp.</i> 'northern'	<i>D. septentrionalis</i>	Formally named <i>D. septentrionalis</i> in 2013
Diuris (nanny goat complex)			
<i>D. laevis</i>	<i>D. laevis</i>	<i>D. laevis</i>	
<i>D. purdiei</i>	<i>D. purdiei</i>	<i>D. purdiei</i>	

Orchids of Western Australia 2008	Orchids of South-West Australia 2011	Field Guide to the Orchids of Western Australia 2013	Notes
Pterostylis (snail orchid complex)			
<i>P. dilatata</i>	<i>P. dilatata</i>	<i>P. dilatata</i>	
<i>P. pyramidalis</i>	<i>P. pyramidalis</i>	<i>P. pyramidalis</i>	
<i>P. sp.</i> 'bloated snail'			Not included in later books. May be a broad flowered form of <i>P. sp.</i> 'crinkled leaf'
<i>P. sp.</i> 'brittle'	<i>P. timothyi</i>	<i>P. timothyi</i>	Formally named as a species of <i>Linguella</i> in 2006 and placed in <i>Pterostylis</i> in 2010. Note: the Illustration in Brown et al 2008 and photo in Hoffman and Brown 2011 is probably the very closely related <i>P. parva</i>
<i>P. sp.</i> 'broad petals'	<i>P. sp.</i> 'broad petals'	<i>P. sp.</i> 'broad petals' = <i>P. platypetala</i>	Formally named <i>P. platypetala</i> in 2015
<i>P. sp.</i> 'clubbed'	<i>P. sp.</i> 'clubbed'	<i>P. sp.</i> 'clubbed snail orchid' = <i>P. glebosa</i>	Formally named <i>P. glebosa</i> in 2013
<i>P. sp.</i> 'coastal snail' = <i>P. voigtii</i>		<i>P. sp.</i> 'coastal snail'	The species illustrated in Brown et al 2008 as <i>P. sp.</i> 'coastal snail' is now considered a form of <i>P. voigtii</i> . <i>P. sp.</i> 'coastal snail' in Brown et al 2013 has a more bloated flower
<i>P. sp.</i> 'Esperance Granite'		<i>P. sp.</i> 'miniature' = <i>P. voigtii</i>	Formally named <i>D. voigtii</i> in 2015
<i>P. sp.</i> 'fawn'		<i>P. sp.</i> 'small stature' = <i>P. parva</i>	Formally named <i>D. parva</i> in 2015
<i>P. sp.</i> 'Fitzgerald'		<i>P. sp.</i> 'Ravensthorpe'	
<i>P. sp.</i> 'giant'	<i>P. sp.</i> 'giant'	<i>P. sp.</i> 'giant' = <i>P. brunneola</i>	Formally named <i>P. brunneola</i> in 2014
<i>P. sp.</i> 'hairy'	<i>P. sp.</i> 'hairy'	<i>P. sp.</i> 'inland'	
<i>P. sp.</i> 'karri'		<i>P. sp.</i> 'karri forest' = <i>P. karri</i>	Formally named <i>P. karri</i> in 2014
<i>P. sp.</i> 'limestone'	<i>P. sp.</i> 'limestone' and <i>P. sp.</i> 'Helena River'	<i>P. sp.</i> 'Helena River' = <i>P. angulata</i>	<i>Pterostylis sp.</i> 'limestone' has been merged with <i>P. sp.</i> 'Helena River' based on similar morphology. However, it should be noted that populations are isolated from one another and occur in different habitat. Formally named <i>P. angulata</i> in 2018
<i>P. sp.</i> 'short sepals'	<i>P. sp.</i> 'short sepals'	<i>P. sp.</i> 'short sepals'	<i>P. sp.</i> 'short sepals' has been split into several new taxa. The true <i>Pterostylis sp.</i> 'short sepals' occurs over a narrow geographic range between Perth and Yancheep.
<i>P. sp.</i> 'slender'		<i>P. sp.</i> 'crinkled leaf' and <i>P. sp.</i> 'skinny'	<i>P. sp.</i> 'slender' has been split into two taxa <i>P. sp.</i> 'crinkled leaf' and <i>P. sp.</i> 'skinny'
<i>P. sp.</i> 'swamps'		<i>P. sp.</i> 'small rosette' = <i>P. microphylla</i>	Formally named <i>P. microphylla</i> in 2015
<i>P. sp.</i> 'Walpole'			Not included in later books
<i>P. sp.</i> 'yellow'	<i>P. sp.</i> 'Millers Point'	<i>P. sp.</i> 'south coast clubbed sepals' = <i>P. lortensis</i>	Plants illustrated in Brown et al 2008 and Hoffman and Brown 2011 are now considered synonymous with <i>P. sp.</i> 'south coast clubbed sepals'. Formally named <i>P. lortensis</i> in 2014
		<i>P. sp.</i> 'Cape Arid' = <i>P. telmata</i>	Formally named <i>P. telmata</i> in 2014
		<i>P. sp.</i> 'Cape Le Grand' = <i>P. meridionalis</i>	Formally named <i>P. meridionalis</i> in 2018
		<i>P. sp.</i> 'elegant snail orchid' = <i>P. scitula</i>	Formally named <i>P. scitula</i> in 2015
		<i>P. sp.</i> 'fine sepals'	

Orchids of Western Australia 2008	Orchids of South-West Australia 2011	Field Guide to the Orchids of Western Australia 2013	Notes
Pterostylis (snail orchid complex cont.)			
		<i>P. sp.</i> 'granite' = <i>P. jacksonii</i>	Formally named <i>P. jacksonii</i> in 2014
		<i>P. sp.</i> 'hairy leaf' = <i>P. echinulata</i>	Formally named <i>P. echinulata</i> in 2014
		<i>P. sp.</i> 'late flowering' = <i>P. glebosa</i>	Now considered a southern form of <i>P. glebosa</i>
		<i>P. sp.</i> 'long sepals'	
		<i>P. sp.</i> 'red flowered' = <i>P. erubescens</i>	Formally named <i>P. erubescens</i> in 2014
		<i>P. sp.</i> 'robust'	
		<i>P. sp.</i> 'southern granites'	
		<i>P. sp.</i> 'cauline leaves' and <i>P. sp.</i> 'northern thick sepals' = <i>P. ectypha</i>	Formally named <i>P. ectypha</i> in 2018. Note: <i>P. sp.</i> 'cauline leaves' and <i>P. sp.</i> 'northern thick sepals' are now considered synonymous
		<i>P. sp.</i> 'Chudalup'	
		<i>P. sp.</i> 'coastal clubbed snail'	
Pterostylis (bird orchid complex)			
<i>P. barbata</i>	<i>P. barbata</i>	<i>P. barbata</i>	
<i>P. turfosa</i>	<i>P. turfosa</i>	<i>P. turfosa</i>	
<i>P. sp.</i> 'bloated'	<i>P. sp.</i> 'bloated'	<i>P. sp.</i> 'bloated'	
<i>P. sp.</i> 'Boyup'	<i>P. sp.</i> 'Boyup'	<i>P. sp.</i> 'Boyup'	
<i>P. sp.</i> 'dwarf'	<i>P. sp.</i> 'dwarf'	<i>P. sp.</i> 'dwarf' = <i>P. galgula</i>	Formally named <i>P. galgula</i> in 2018
<i>P. sp.</i> 'Esperence'	<i>P. sp.</i> 'Esperence'	<i>P. sp.</i> 'Esperence'	No longer considered distinct from <i>P. turfosa</i>
<i>P. sp.</i> 'late'	<i>P. sp.</i> 'late'	<i>P. sp.</i> 'The Knoll' = <i>P. serotina</i>	Formally named <i>P. serotina</i> in 2018
<i>P. sp.</i> 'long beak'	<i>P. sp.</i> 'long beak'	<i>P. sp.</i> 'Gull Rock'	Formally named <i>Pterostylis heberlei</i> in 2017
<i>P. sp.</i> 'plumed'	<i>P. sp.</i> 'plumed'	<i>P. sp.</i> 'plumed' = <i>P. faceta</i>	Formally named <i>P. faceta</i> in 2018
		<i>P. sp.</i> 'granite bird' = <i>P. saxosa</i>	Formally named <i>P. saxosa</i> in 2018
		<i>P. sp.</i> 'Greenbushes' = <i>P. sigmoidea</i>	Formally named <i>P. sigmoidea</i> in 2018
		<i>P. sp.</i> 'Mehinup' = <i>P. precatorea</i>	Formally named <i>P. precatorea</i> in 2018
		<i>P. sp.</i> 'Muir's Highway' = <i>P. longicornis</i>	Formally named <i>P. longicornis</i> in 2018
		<i>P. sp.</i> 'sparse'	
Pterostylis (rufus greenhood complex)			
<i>P. ciliata</i>	<i>P. ciliata</i>	<i>P. ciliata</i>	
<i>P. frenchii</i>	<i>P. frenchii</i>	<i>P. frenchii</i>	
<i>P. insectifera</i>	<i>P. insectifera</i>	<i>P. insectifera</i>	
<i>P. leptochila</i>	<i>P. leptochila</i>	<i>P. leptochila</i>	
<i>P. macrocalymma</i>	<i>P. macrocalymma</i>	<i>P. macrocalymma</i>	

Orchids of Western Australia 2008	Orchids of South-West Australia 2011	Field Guide to the Orchids of Western Australia 2013	Notes
<i>Pterostylis</i> (rufus greenhood complex cont.)			
<i>P. picta</i>	<i>P. picta</i>	<i>P. picta</i>	
<i>P. roensis</i>	<i>P. roensis</i>	<i>P. roensis</i>	
<i>P. spathulata</i>	<i>P. spathulata</i>	<i>P. spathulata</i>	
<i>P. platypus</i> ms	<i>P. platypus</i> ms	<i>P. sp.</i> 'Ongerup' = <i>P. perculata</i>	Formally named <i>P. perculata</i> in 2015
<i>P. sp.</i> "Eyre"			Not included in later works but considered distinct
<i>P. sp.</i> 'Arrowsmith'	<i>P. sp.</i> 'Arrowsmith'	<i>P. sp.</i> 'exserted labellum' = <i>P. exserta</i>	Formally named <i>P. exserta</i> in 2015
<i>P. sp.</i> 'chocolate'			Not included in later works but thought distinct
<i>P. sp.</i> 'dainty brown'	<i>P. sp.</i> 'dainty brown'	<i>P. sp.</i> 'dainty brown' = <i>P. tryphera</i>	<i>Pterostylis. sp.</i> 'dainty brown' and <i>P. sp.</i> 'dainty green' are now considered to be colour forms of the same taxon. Formally named <i>P. tryphera</i> in 2017
<i>P. sp.</i> 'dainty green'		<i>P. sp.</i> 'dainty green' = <i>P. tryphera</i>	See note above. Now considered a form of <i>P. tryphera</i>
<i>P. sp.</i> 'eastern'		= <i>P. tryphera</i>	Not included in later works. Now considered a form of <i>P. tryphera</i>
<i>P. sp.</i> 'elegant'	<i>P. sp.</i> 'elegant'	<i>P. sp.</i> 'elegant' = <i>P. elegantissima</i>	Formally named <i>P. elegantissima</i> in 2014
<i>P. sp.</i> 'greasy'	<i>P. sp.</i> 'greasy'	<i>P. sp.</i> 'greasy'	Possibly a form of <i>P. roensis</i>
<i>P. sp.</i> 'green flowers'	<i>P. sp.</i> 'green flowers'	<i>P. sp.</i> 'green flowers' = <i>P. virens</i>	Formally named <i>P. virens</i> in 2017
<i>P. sp.</i> 'large fawn'		<i>P. sp.</i> 'large fawn'	
<i>P. sp.</i> 'Murchison'		<i>P. sp.</i> 'Murchison'	
<i>P. sp.</i> 'northwest'	<i>P. sp.</i> 'northwest'	= <i>P. tryphera</i>	Now considered a form of <i>P. sp.</i> 'dainty brown' Formally named <i>P. tryphera</i> in 2017
<i>P. sp.</i> 'Paynes Find'		<i>P. sp.</i> 'Paynes Find'	
<i>P. sp.</i> 'slender rufa'	<i>P. sp.</i> 'slender rufa'	<i>P. sp.</i> 'slender rufa' = <i>P. macrosceles</i>	Formally named <i>P. macrosceles</i> in 2015
<i>P. sp.</i> 'straight tops'		<i>P. sp.</i> 'straight tops'	Possibly a form of <i>P. spathulata</i>
<i>P. sp.</i> 'striped'	<i>P. sp.</i> 'striped'	<i>P. sp.</i> 'striped' = <i>P. zebrina</i>	Formally named <i>P. zebrina</i> in 2015
			The following recently named taxa are not included in the above books
			<i>P. fuliginosa</i> Formally named in 2017 from specimens collected at Peak Charles in October 1988
			<i>P. eremaea</i> Formally named in 2017 from specimens collected along Damboring West Road in October 1991
			<i>P. hadra</i> Formally named in 2015 from specimens collected from the Pootenup area in October 1993. Note: there are no specimens housed in the WA Herbarium
			<i>P. xerampelina</i> Formally named in 2017 from specimens collected at 50 Miles Rocks south of Widgiemooltha in October 1993. Note: there are currently no specimens housed in the WA Herbarium

Orchids of Western Australia 2008	Orchids of South-West Australia 2011	Field Guide to the Orchids of Western Australia 2013	Notes
<i>Pterostylis</i> (banded greenhood complex)			
<i>P. concava</i>	<i>P. concava</i>	<i>P. concava</i>	
<i>P. sanguinea</i>	<i>P. sanguinea</i>	<i>P. sanguinea</i>	
	<i>P. aff. sanguinea</i>	<i>P. sp. 'Eyre'</i>	May be a form of <i>Urochilus arbusculus</i> .
<i>P. sargentii</i>	<i>P. sargentii</i>	<i>P. sargentii</i>	
<i>P. vittata</i>	<i>P. vittata</i>	<i>P. vittata</i>	
<i>P. sp. 'coastal'</i>	<i>P. sp. 'coastal'</i>	<i>P. sp. 'coastal'</i> = <i>P. orbiculata</i>?	Considered a form of <i>P. orbiculata</i> by Jones and French (2017) but warrants further investigation as it appears distinct
<i>P. sp. 'crowded'</i>	<i>P. sp. 'crowded'</i>	<i>P. sp. 'crowded'</i> = <i>P. atosanguinea</i>	Formally named <i>P. atosanguinea</i> in 2018
<i>P. sp. 'Dongara'</i>	<i>P. sp. 'Dongara'</i>	<i>P. sp. 'northern'</i>	
<i>P. sp. 'grey bands'</i>	<i>P. sp. 'grey bands'</i>		No longer considered distinct from <i>P. vittata</i>
<i>P. sp. 'northern'</i>	<i>P. sp. 'northern'</i>	<i>P. sp. 'small bands'</i> = <i>P. orbiculata</i>	Formally named <i>P. orbiculata</i> in 2018
			The following recently named taxa are not included in the above books
			<i>P. arbuscula</i> Formally named in 2018 from specimens collected along the Hyden-Lake King Road in June 2017.
			<i>P. crebriflora</i> Formally named in 2017 from specimens collected near Roleystone on the 17 July 2004
<i>Pterostylis</i> (shell orchid complex)			
<i>P. allantoidea</i>	<i>P. allantoidea</i>	<i>P. allantoidea</i>	
<i>P. angusta</i>	<i>P. angusta</i>	<i>P. angusta</i>	
<i>P. aspera</i>	<i>P. aspera</i>	<i>P. aspera</i>	
<i>P. hamiltonii</i>	<i>P. hamiltonii</i>	<i>P. hamiltonii</i>	
<i>P. rogersii</i>	<i>P. rogersii</i>	<i>P. rogersii</i>	
<i>P. scabra</i>	<i>P. scabra</i>	<i>P. scabra</i>	
<i>P. sp. 'dwarf shell'</i>	<i>P. sp. 'dwarf shell'</i>	<i>P. brevichila</i>	Formally named <i>P. brevichila</i> in 2012
<i>P. sp. 'Kalbarri'</i>	<i>P. sp. 'Kalbarri'</i>	<i>P. microglossa</i>	Formally named <i>P. microglossa</i> in 2012
<i>P. sp. 'robust'</i>			No longer considered distinct from <i>P. hamiltonii</i>
<i>Pterostylis</i> (others)			
<i>P. mutica</i>	<i>P. mutica</i>	<i>P. mutica</i>	
<i>P. recurva</i>	<i>P. recurva</i>	<i>P. recurva</i>	
<i>P. sp. "Northampton"</i>	<i>P. sinuata</i>	<i>P. sinuata</i>	Formally named <i>P. sinuata</i> in 2010