KEY TO SPECIES OF DRAKAEA

1. (Column lacking an erect terminal mucro, or mucro barely noticable and less than 0.5 mm lor	ıg 2
2.	Leaf dull and blue-green with conspicuous darker venation; distal arm of labellum claw 4-5 mm long; head-like apex glabrous, with paired lateral dark maroon callosities at base; main labellum body prominently inflated-globular near claw	Drakaea alvntodon
	ilitated-globulat fical claw	Дикае а діурібавн
2:	Leaf glossy green with inconspicuous venation; distal arm of labellum claw 6-8.5 mm long head-like apex hirsute for 0.7-0.9 of its length, lacking paired lateral dark maroon callosition at base; main labellum body slightly inflated-globular	es
3.	Leaf conspicuously glossy, light green; main labellum body two-coloured; head-like apex hirsute for 0.9 of its length	Drakaea elastica
3:	Leaf somewhat glossy, dark green; main labellum body monochromatic; head-like apex hirsute for 0.7 of its length	. Drakaea concolor
1: (Column with a prominent erect terminal mucro 1-3 mm long	4
4.	Main labellum body with a prominently upturned apex (almost a right angle)	5
5.	Main labellum body with spots absent or inconspicuous; neck of head-like apex 0.4-0.8 mm thick	Drakaea gracilis
5:	Main labellum body with conspicuous purple spots up to 1.0 mm diameter; neck of head-like apex 1.0-1.5 mm thick	6
	6. Main labellum body prominently inflated, 10-12 mm long, glabrous to sparsely covered with hairs to the base of the upturned apex	Drakaea livida
	6: Main labellum body scarcely inflated, 8 mm long, densely covered with hairs to the base of the upturned apex	rakaea andrewsiae
4:	Main labellum body with a straight or slightly upcurved apex (less than 30°)	7
7.	Main labellum body and distal arm of claw with conspicuous purple spots up to 1-1.5 mm diameter; main labellum body two-coloured, the apex dark maroon	Drakaea confluens
7:	Main labellum body and distal arm of claw lack spots; main labellum body monochroma dark maroon	
:	8. Leaf glabrous, pale grey with prominent dark green venation; main labellum body somewhat inflated near claw, 7-8.5 mm long, with small glands at base of neck to 0.5 mm diameter	Orakaea micrantha
;	8: Leaf minutely papillate, pale green, with inconspicuous venation; main labellum body linear or scarcely inflated, 8-11 mm long, with enlarged glands at base of neck to 1.2 mm diameter	9
	9. Scape usually less than 30 cm tall; main labellum body scarcely inflated, lower side convexly curved in side view, with conspicuous elongate hairs and a narrow extended neck	Drakaea isolata
	9: Scape usually 30-40 cm tall; main labellum body linear, mostly parallel-sided in side view, with inconspicuous short hairs and a robust squat neck	rakaea thynniphila